

ACKNOWLEDGMENTS

We are most grateful to a large number of individuals who generously provided assistance to us in preparing this species synopsis and risk assessment. In particular, we thank Ralf Britz of the University of Tübingen, Germany, currently on sabbatical leave at the Division of Fishes, National Museum of Natural History, Washington, D.C.; Maurice Kottelat, Cornol, Switzerland; Sven Kullander, Swedish Museum of Natural History, Stockholm; Prachya Musikasinthorn, Faculty of Fisheries, Kasetsart University, Bangkok, Thailand; Peter K. L. Ng, Department of Zoology and Raffles Museum, National University of Singapore; Rohan Pethiyagoda, World Heritage Trust, Columbo, Sri Lanka; the late Guy Teugels, Musée Royale de l'Afrique Central, Tervuren, Belgium; and Hiroshi Ueda, Field Science Center for Northern Biosphere, Hokkaido University, Sapporo, Japan, for providing helpful information on snakehead taxonomy, distribution, and ecology; Nina Bogutskaya of the Russian Academy of Sciences, St. Petersburg, for records, literature, and field collection information on channids in Russia and the former Soviet Union; Fang Fang, Swedish Museum of Natural History, and Ping Zhuang, Chinese Academy of Fishery Sciences, Shanghai, for their comments on snakehead culture in China; Jim Cambray, Albany Museum, Grahamstown, South Africa; Karsten Hartel and James Stephen Lee, Museum of Comparative Zoology, Harvard University, Cambridge, Massachusetts; Robert Howells, Texas Parks and Wildlife Department, Heart of the Hills Research Station, Ingram, Texas; Paul Loiselle, New York Aquarium, Brooklyn, New York; Ted Pietsch and Margarita Reimer, School of Aquatic and Fishery Science, University of Washington, Seattle, Washington; Richard Rosenblatt, Scripps Institute of Oceanography, La Jolla, California; Paul Shafland, Florida Fish and Wildlife Conservation Commission, Boca Raton, Florida; Leo Smith, American Museum of Natural History, New York, New York; Franklin (Buck) Snelson, Department of Biology, University of Central Florida, Orlando, Florida; Ross B. Socolof, Bradenton, Florida; Wayne Starnes, North Carolina State Museum of Natural Sciences, Raleigh, North Carolina; John Sunada, California Department of Fish and Game, San Bernardino, California; Camm Swift, Arcadia, California; and Michael Williams, U.S. Fish and Wildlife Service, Blaine, Washington, for input on specimens collected or confiscated and/or general information; and Gerald R. Allen, Western Australian Museum, Perth; Robert K. Hamilton, Baltimore Sun, Baltimore, Maryland; Phil Hastings, Scripps Institute of Oceanography; Prachya Musikasinthorn; Peter Ng; Rohan Pethiyagoda; Heok Hui Tan, National University of Singapore; the late Guy Teugels; Mark Sabaj, Academy of Natural Sciences, Philadelphia, Pennsylvania; and Jörg Vierke, Husum, Germany, for permission to examine and/or use photographs and illustrations. Without their help, this effort would not have been possible.

Special thanks to Disney Publishing Worldwide, Disney Enterprises, Inc., for permission to use the illustrations in figure 1, and to Jean-Francois Helias of Fishing Adventures Thailand, for use of photographs of snakeheads caught by anglers in Thailand and Malaysia. Tom Darden, Governor's office, Annapolis, Maryland, also provided several photos.

We also acknowledge Steve Early and Bob Lunsford, Maryland Department of Natural Resources, Annapolis, Maryland, for keeping us advised on the northern snakehead introduction and eradication in Crofton, Anne Arundel County.

Our thanks to many others for their assistance in providing information, including David Casey, Kentucky Department of Fish and Wildlife, Frankfort, Kentucky; Vi Catrow, USGS, Leetown, West Virginia; Bill Chang, National Science Foundation, Washington, D.C.; Domingo Cravalho, Jr., Hawaii Department of Agriculture, Honolulu, Hawaii; Richard Feeney, Los Angleles County Museum, Los Angeles, California; Bill Foreman, Connecticut Department of Environmental Protection, Inland Fisheries Division, Hartford, Connecticut; Pam Fuller, USGS, Gainesville, Florida; Bob Howells; Brett Houdyshell, Kansas Department of Wildlife and Parks, Pratt, Kansas; Keith Johnson, Idaho Department of Game and Fish, Boise, Idaho; Deborah Koo, Canadian Food Inspection Agency, Vancouver, British Columbia; John McCosker, California Academy of Sciences, San Francisco, California; Tom Nesler, Colorado Division of Wildlife, Denver, Colorado; Jim Peterson, Montana Department of Fish, Wildlife, and Parks, Great Falls, Montana; Tyson Roberts, California Academy of Sciences; Robert H. Robins, Florida Museum of Natural History, Gainesville, Florida; Beth Rogers, Maryland Department of Natural Resources; Dal Schaefer, Colorado Division of Wildlife, Denver, Colorado; Karl J. Scheidegger and Joseph Hennessy, Wisconsin Department of Natural Resources, Madison, Wisconsin; Russell Wong, North Carolina Wildlife Resources Commission, Raleigh, North Carolina; and Mike Yamamoto, Hawaii Department of Land and Natural Resources, Division of Aquatic Resources, Honolulu, Hawaii.

Special thanks go to Leo Nico, USGS, Gainesville, Florida, for providing several important references, hand-carrying snakehead specimens to us from the Bernice P. Bishop Museum, Honolulu, Hawaii, and for his encouragement. For loans of preserved specimens, we thank David Catania, California Academy of Sciences; Barry Chernoff, Field Museum of Natural History, Chicago, Illinois; Ron Englund, Bernice P. Bishop Museum; Karsten Hartel; and Mel Stiassny, American Museum of Natural History.

Support for this research was provided by Interagency Grant Agreement 94400-1-0100 from the U.S. Fish and Wildlife Service, Division of Scientific Authority and Fisheries Management and Division of Environmental Quality, Branch of Invasive Species, Washington, D.C. Pam Hall, Sharon Gross, and Kari Duncan, U.S. Fish and Wildlife Service, provided snakehead import data and information of Service policy on non-native fishes. Pingfu Chen, Natural History Museum, University of Kansas, Lawrence, Kansas, assisted with translation of some Chinese literature. Ken Sulak, USGS, Gainesville, Florida, and James Joeriman, Department of Romance Languages and Literature, University of Florida, Gainesville, Florida, provided translation assistance of some Russian literature. Sherry L. Bostick, USGS, Gainesville, Florida, assisted greatly with illustrations, manuscript assembly, and mapping modification; and Britton Wilson, U.S. National Park Service, Homestead, Florida, prepared the basic distribution maps when she was with the USGS in Gainesville. Julie Mounts, Division of Fishes, National Museum of Natural History, Washington, D.C., assisted in obtaining original descriptions of several species of snakeheads. Susan Trammell, Archer, Florida, created the illustration of the northern snakehead that appears on the cover.

Finally, we thank the members of the Risk Assessment and Management Committee of the Aquatic Nuisance Species Task Force for their review and comments on an earlier version of the manuscript: Richard Orr, Chairperson, U.S. Department of Agriculture Animal and Plant Health Inspection Service, Riverdale, Maryland; Jim Andreasen, U.S. Environmental Protection Agency, Washington, D.C.; Shawn Alam, U.S. Fish and Wildlife Service, Arlington, Virginia; Fred Kern, National Oceanic and Atmospheric Administration National Ocean Service, Oxford, Maryland; Marshall Myers, Pet Industry Joint Advisory Council, Washington, D.C.; Edwin Theriot, U.S. Army Corps of Engineers, Waterways Experimental Station, Vicksburg, Mississippi; and Paul Zajicek, Florida Department of Agriculture and Consumer Services, Tallahassee, Florida. Our gratitude is also extended to Ralf Britz, Carter R. Gilbert, University of Florida, Robert Howells, Peter Ng, and Hoek Hui Tan for their careful evaluation and comments on the manuscript.

Our sincere apologies to those we may have overlooked.

REFERENCES



An asterisk (*) after the citation indicates that the reference was not seen by authors or was cited from other references. Literature citations from species synonymies accompanying species accounts are not included herein but can be obtained on the Internet at: http://www.calacademy.org/research/ichthyology/catalog/fishcatsearch.htm.

Adebisi, A.A., 1981, Analyses of the stomach contents of the piscivorous fishes of the Upper Ogun River in Nigeria: Hydrobiologia 79, p. 167-177.

Ahmad, M.U., Khumar, F., Anwar, S., and Siddiqui, M.S., 1990, Preliminary observations on the growth and food of the murrel *Channa* (=*Ophicephalus*) *marulius* (Bloch) of the River Kali in north India: Journal of Freshwater Biology, v. 2, no. 1, p. 47-50.

Ajana, A.M., 1983, Brackish water fish culture in Nigeria: Present status and practices: Aquaculture, v. 31, p. 329-337.

Ali, A.B., 1999, Aspects of the reproductive biology of female snakehead *(Channa striata)* (Bloch) obtained from irrigated rice agroecosystem, Malaysia: Hydrobiologia, v. 411, p. 71-77.

Alikunhi, K.H., 1953, Notes on the bionomics, breedings and growth of the murrel, *Ophicephalus striatus* (Bloch): Proceedings of the Indian Academy of Sciences, v. 38, no. 1, p. 41-59.

Allen, G.R., 1991, Field guide to the freshwater fishes of New Guinea: Singapore, Calendar Print Pte. Ltd., Christensen Research Institute, Publication No. 9, 268 p.

Amanov, A.A., 1974, Morphology and mode of life of the Amur snakehead *(Ophiocephalus argus warpachowskii)* in Chimkurgan Reservoir: Journal of Ichthyology, v. 14, no. 5, p. 713-717.

Annandale, N., 1918, Fish and fisheries in the Inle Lake: Records of the Indian Museum, v. 14, p. 33-64.

Armstrong, H.C., 1923, *Channa Fasciata*: Aquatic life and the aquatic world, v. 7, no. 10, p. 75-76.

Arthur, J.R., and Ahmed, Abu Tweb A., 2002, Checklist of the parasites of fishes of Bangladesh: FAO Fisheries Technical Paper 369/1, p. 1-77.

Atkinson, C.E., 1977, People's Republic of China, *in* Brown, E.E., ed., World Fish Farming: Cultivation and Economics: Westport, Connecticut, AVI Publishing Co., p. 321-344.

Axelrod, H.R., and Schultz, L.P., 1955, Handbook of tropical aquarium fishes: New York, McGraw-Hill, 718 p.

Baie, S.H., and Sheikh, K.A., 2000, The wound healing properties of *Channa striatus*—cetrimide cream; tensile strength measurement: Journal of Ethnopharmacology, v. 71, nos. 1-2, p. 93-100.*

Bailey, R.G., 1994, Guide to the fishes of the River Nile in the Republic of the Sudan: Journal of Natural History, v. 28, p. 937-970.

Bailey, W.M., and Haller, W.T., 1977, A survey of reported natural spawning sites of the grass carp *(Ctenopharyngodon idella* Val.*)* in the Far East: Journal Series 1164, Florida Agricultural Experiment Station, 17 p.

Baltz, D.M., 1991, Introduced fishes in marine systems and inland seas: Biological Conservation, v. 56, p. 151-177.

Balzer, T., Balzer, P., and Pon, S., 2002, Traditional use and availability of aquatic biodiversity in rice-based ecosystems. I. Kampong Thom Province, Kingdom of Cambodia: Rome, Italy, FAO/Netherlands Partnership Programme "Awareness of Agricultural Biodiversity."

Banerjee, S.K., Misra, K.K., Banerjee, S., and Ray-Chaudhuri, S.P., 1988, Chromosome numbers, genome sizes, cell volumes and evolution of snake-head fish (family Channidae): Journal of Fish Biology, v. 33, p. 781-789.

Banerji, S.R., 1974, Hypophysation and life history of *Channa punctatus* (Bloch): Journal of the Inland Fisheries Society of India, v. 6, p. 62-73.

Bard, J., 1991, Aperçu de la pisciculture en eaux continentals dans le Nord-Vietnam: Revue Bois et Forêts de Tropiques, v. 228, p. 74-77.

Bardach, J.E., Ryther, J.H., and McLarney, W.O., 1972, Aquaculture: The farming and husbandry of freshwater and marine organisms: Wiley, New York, Interscience, 868 p.

Bauchot, M-L., Daget, J., and Bauchot, R., 1990, L'ichtyologie en France au début du XIXe siècle L'Histoire naturelle des Poissons de Cuvier et Valenciennes: Bulletin de Museum National d'Histoire Naturelle, v. 12, p. 3-142.

Bean, B.A., and Weed, A.C., 1912, Notes on a collection of fishes from Java, made by Owen Bryant and William Palmer in 1909, with descriptions of a new species: Proceedings of the Smithsonian Institution of Natural History, v. 42, p. 587-611.*

Beeckman, W., and De Bont, A.F., 1985, Characteristics of the Nam Ngum Reservoir ecosystem as deduced from the food of the most important fish-species: Internationale Vereinigung für Theoretische und Angewandte Limnologie, v. 22, p. 2643-2649.

Berg, L.S., 1947, Classification of fishes both recent and fossil: Ann Arbor, Michigan, J.W. Edwards, 517 p.

——— 1965, Freshwater fishes of the USSR and adjacent countries, Vol. III (4th ed., improved and augmented): [Translated from Russian; original 1949, Jerusalem, Israel Program for Scientific Translations], p. 937-1381.

Berra, T.M., 2001, Freshwater fish distribution: New York, Academic Press, 604 p.

Bhatt, V.S., 1970, Studies on the growth of *Ophicephalus striatus* (Bloch): Hydrobiologica, v. 36, no. 1, p. 165-177.

Bhuiyan, A.L., 1964, Fishes of Dacca: Dacca, Asiatic Society of Pakistan, 148 p.

Bhuiyan, A.S., and Rahman, K., 1982, On the fecundity of the snake-headed fish, *Channa gachua* (Hamilton) (Channidae: Channiformes): Bangladesh Journal of Zoology, v. 10, no. 2, p. 101-110.

——— 1984, Fecundity of the snake headed fish, *Channa punctatus* (Bloch and Schneider) (Channidae: Channiformes): Journal of the Asiatic Society of Bangladesh, v. 10, no. 2, p. 75-81.

Blache, J., Miton, F., Staugh, A., Iltis, A., and Loubens G., 1964, Les poissons du basin du Tchad et du basin adjacent du Mayo-Kebbi: Étude systématique et biologique: Paris, France, Publication de Office de la Recherche Scientifique et Technique Outre-Mer (ORSTROM), 483 p.

Bloch, M.E., 1793, Naturgeschichte der Ausländischen fische, 7: Berlin, Germany, Morino & Co., 144 p.

Boeseman, M., 1949, On Pleistocene remains of *Ophiocephalus* from Java: Zoologische Mededelingen Leiden, v. 30, p. 83-94, plus 5 plates.

——— 1957, On a collection of fishes from Stanley Pool (Belgian Congo): Zoologische Mededelingen Leiden, v. 35, p. 139-151.

Bogutskaya, N.G., and Naseka, A.M., 2002, An overview of nonindigenous fishes in inland waters of Russia: Proceedings of the Zoological Institute, Russian Academy of Sciences, v. 296, p. 21-30.

Bonou, C.A., and Teugels, G.G., 1985, Révision systématique du genre *Parachanna* (Teugels et Daget, 1984) (Pisces: Channidae): Revue d'Hydrobiologie Tropicale, v. 18, no. 4, p. 267-280.

Borisova, A.T., 1972, Accidental introductions of fishes into the waters of Uzbekistan: Journal of Ichthyology, v. 12, no. 1, p. 41-45.

Boulenger, G.A., 1907, The fishes of the Nile: London, Jugh Rees, Ltd., (1965 reprint by Wheldon and Wesley, Ltd., London), 517 p.

——— 1916, Catalogue of the fresh-water fishes of Africa in the British Museum (Natural History), Vol. IV: London, British Museum of Natural History, 392 p.

Breder, C.M., Jr., and Rosen, D.E., 1966, Modes of reproduction in fishes: New Jersey, T.F.H. Publications, 941 p.

Brind, W.L., 1914, Domesticated fish, 1: New York, W.L. Brind, 14 p.

Brock, V.E., 1952, A history of the introduction of certain aquatic animals to Hawaii: Territory of Hawaii, Board of Agriculture and Forestry, p. 114-123.

——— 1960, The introduction of aquatic animals into Hawaiian waters: International Revue der gesamten Hydrobiologie und Hydrographie, v. 45, p. 463-480.

Bureau of Aquatic Products Industry, 1988, [The freshwater fishes of China in coloured illustrations], Vol, 2: Shanghai, China, Ministry of Chinese Agriculture, Husbandry, and Fishery, Institute of Hydrobiology, Chinese Academy of Sciences, Natural History Museum of Shanghai, Shanghai Science and Technology Publishing House, 201 p. [In Chinese.]

Bykhovskaya-Pavlovskaya, I.E., Gusev, A.V., Dubinina, M.N., Izyumova, N.A., Smirnova, T.S., Sokolovskaya, I.L., Shtein, G.G., Shil'man, S.S., and Epshtein, V.M., 1964, Key to parasites of freshwater fish of the USSR [English translation of Opredelitel' parazitov presnovodnykh ryb SSSR]: Israel Program for Scientific Translation, Jerusalem, 919 p.

Chacko, P.I., and Kuriyan, G.K, 1947, Culture of murral fish (*Ophicephalus marulius*) in irrigation wells: Journal of the Bombay Natural History Society, v. 47, no. 2, p. 393-394.

Chaudhuri, B.L., 1919, Report on a small collection of fish from Putao (Hkamti Long) on the northern frontier of Burma: Records of the Indian Museum, v. 16, no. 4, p. 271-287.

Chiba, K., Yasuhiko, T., Sakai, K., and Oozeki, Y., 1989, Present status of aquatic organisms introduced into Japan, *in* De Silva, S.S., ed., Exotic aquatic organisms in Asia—Proceedings of the Workshop on Introduction of Exotic Aquatic Organisms in Asia: Manila, Philippines, Asian Fisheries Society Special Publication 3, p. 63-70.

Coad, B.W., 1979, A provisional, annotated check-list of the freshwater fishes of Iran: Journal of the Bombay Natural History Society, v. 76, no. 1, p. 86-105.

——— 1981, Fishes of Afghanistan, an annotated check-list: National Museum of Canada, Publications in Zoology, v. 14, p. 1-26.

Cobb, J.N., 1905, The commercial fisheries of the Hawaiian Islands in 1903: Report of the U.S. Bureau of Fisheries, 1904, p. 433-512.

Conlu, P.V., 1986, Guide to Philippine flora and fauna, Vol. IX *of* Fishes: Natural Resources Management Center Ministry of Natural Resources and University of the Philippines, 495 p.

Copley, Hugh, 1952, The Game Fishes of Africa: London, Witherby, Ltd., 276 p.

Courtenay, W.R., Jr., Deacon, J.E., Sada, D.W., Allan, R.C., and Vinyard, G.L., 1985, Comparative status of fishes along the course of the pluvial White River, Nevada: Southwestern Naturalist, v. 30, no. 4, p. 503-524.

Courtenay, W.R., Jr., Hensley, D.A., Taylor, J.N., and McCann, J.A., 1984, Distribution of exotic fishes in the continental United States: *in* Distribution, Biology, and Management of Exotic Fishes, Baltimore, Maryland, Johns Hopkins University Press, p. 41-77.

Courtenay, W.R., Jr., and Miley, W.W., II, 1975, Range expansion and environmental impress of the introduced walking catfish in the United States: Environmental Conservation, v. 2, no. 2, p. 145-148.

Cowx, I.G., 1998, Stocking and introduction of fish: Oxford, England, Fishing News Books, 456 p.

Cuvier, G., 1831, *Ophicephalus miliaris*, *in* Cuvier, G., and Valenciennes, A., Histoire Naturelle de Poissons 7: Paris, France, F.G. Levrault, p. 439.

Daget, J., and Iltis, A., 1965, Poissons de Côte d'Ivoire (eaux douces et saumâtres): Mémoires de L'Institut Français D'Afrique Noire 65, 385 p.

Daiqin, Y., Chen Fang, Fang Changyan, and Luo Jingbo, 1999, [Studies on age and growth of *Channa asiatica*: Journal of Fisheries Science of China], v. 6, no. 3, p. 10-13. [In Chinese with English abstract.]

Dankwa, H.R., Abban, E.K., and Teugels, G.G., 1999, Freshwater fishes of Ghana: Identification, distribution, ecological and economic importance: Annales Sciences Zoologiques, Musée Royale de L'Afrique Centrale, no. 283, p. 1-53.

Das, S.M., and Nath, S., 1971, A revision of fishes from Jammu Province, India: Kashmire Science, v. 8, p. 1-22.*

Das, S.M., and Saxena, D.B., 1956, Circulation of the blood in the respiratory region of the fishes *Labeo rohita* and *Ophicephalus striatus*: Copeia, no. 2, p. 100-109.

Dasgupta, M., 2000, Adaptation of the alimentary tract to feeding habits in four species of fish of the genus *Channa*: Indian Journal of Fisheries, v. 47, no. 3, p. 265-269.

Day, F., 1865a, On the fishes of Cochin, on the Malabar Coast of India: Proceedings of the Zoolological Society of London, p. 286-318.

_____ 1865b, The fishes of Malabar, London, Bernard Quaritch, 293 p.

——— 1868, Observations on some of the freshwater fishes of India: Proceedings of the Zoological Society of London, p. 274-288.

——— 1875, The fishes of India; Being a natural history of the fishes known to inhabit the seas and fresh faters of India, Burma, and Ceylon, Vols.I & II (reprinted 1971): New Delhi, India, Today & Tomorrow's Book Agency, 778 p.

——— 1877, On the fishes of Yarkand: Proceedings of the Zoological Society of London, p. 781-807.

Dehadrai, P.V., Banerji, S.R., Thakur, N.K., and Das, N.K., 1973, Sexual dimorphism in certain air breathing teleosts: Journal of the Inland Fisheries Society of India , v. 5, p. 71-77.

Deraniyagala, P.E.P., 1929, The labyrinthici of Ceylon: Spoilia Zeylanica, v. 15, no. 2, p. 79-111.

——— 1932, Ichthyological notes: The systematic position of the genus *Channa*; some mineral spring fishes; a rain of fishes, Spoilia Zeylanica, v. 17 no. 1, p. 40-41.

Devi, K.R., 1992, On a small collection of fish from Javadi Hills, North Arcot District, Tamil Nadu: Records of the Zoolological Survey of India, v. 91, no. 3-4, p. 353-360.

DeWitt, H.H., 1960, A contribution to the ichthyology of Nepal: Stanford Ichthyological Bulletin, v. 7, no. 4, p. 63-88.

Dhar, N.J., and Chatterjee, K., 1984, Chromosomal evolution in Indian murrels (Channiformes: Channidae): Caryologia, v. 37, no. 4, p. 359-371.*

Donsakul, Thawat, and Magtoon, Wichian, 1991, Kan suksa chromosome khong pla chon chon-ngu-hao chado krasong lae pla kang thi phop nai Prarthet Thai (Chromosome study on five species of channid fishes [Channa, family Channidae]), from Thailand, *in* Proceedings of the 29th Kasetsart University Annual Conference: Animal Science, Veterinary Science, and Aquaculture: Bangkok, Thailand, p. 561-574.*

Dudley, R.G., 2000, The fishery of Danau Sentarum: Borneo Research Bulletin, v. 30, p. 261-306.

Dukravets, G.M., 1992, The Amur snakehead, *Channa argus warpachowskii*, in the Talas and Chu River drainages: Journal of Ichthyology, v. 31, no. 5, p. 147-151.

Dukravets, G.M., and Machulin, A.I., 1978, The morphology and ecology of the Amur snakehead, *Ophiocephalus argus warpachowskii*, acclimatized in the Syr Dar'ya basin: Journal of Ichthyology, v. 18, no. 2, p. 203-208.

Dutta, S.P.S., 1994, Food and feeding habits of *Channa punctatus* (Bloch) inhabiting Gadigarh Stream, Jammu: Journal of Freshwater Biology, v. 6, no. 4, p. 333-336.

Edds, D.R., 1986a, The fishes of Royal Chitwan National Park: Journal of the Nepal Natural History Museum, v. 10, p. 1-12.

——— 1986b, Fishes of the Kali Gandaki/Narayani River, Nepal: Journal of the Nepal Natural History Museum, v. 10, p. 13-22.

——— 1993, Fish assemblage structure and environmental correlates in Nepal's Gandaki River: Copeia, no. 1, p. 48-60.

Eldredge, L.G., 1994, Perspectives in aquatic exotic species management in the Pacific Islands, Vol. I, Introductions of commercially significant aquatic organisms to the Pacific Islands: Noumea, New Caledonia, South Pacific Commission, 127 p.

Eschmeyer, W.N., ed., 1998, Catalog of fishes: California Academy of Sciences, San Francisco, California, 697 p.

Ettrich, G., 1989, Breeding the green snakehead—It's a mouthbrooder! Tropical Fish Hobbyist, v. 37, no. 10, p. 34-36.

Evermann, B.W.,, and Shaw, T., 1927, Fishes from eastern China, with descriptions of new species: Proceedings of the California Academy of Sciences, v. 16, p. 97-122.

Fernando, C.H., and Indrassna, H.H.A., 1969, The freshwater fisheries of Ceylon: Bulletin of the Fisheries Research Station of Ceylon, v. 20, no. 2, p. 101-134.

Florida Fish and Wildlife Conservation Commission, 2001, New exotic fish now present in Florida's freshwater system: West Palm Beach, Florida Fish and Wildlife Conservation Commission news release, March 22, 2001.

Food and Agriculture Organization of the United Nations (FAO), 1994, Aquaculture production 1986-1992 (4th ed.): Rome, Italy, FAO Fisheries Circular 815, 216 p.

Frank, S., 1970, Acclimatization experiments with Amur snakehead, *Ophiocephalus argus warparchowskii* (Berg, 1909) in Czechoslovakia: Vstník eskoslovenské Spolenosti Zoologické, v. 34, p. 277-283.

Fuller, P.L., Nico, L.G., and Williams, J.D., 1999, Nonindigenous fishes introduced into inland waters of the United States: American Fisheries Society, Special Publication 27, 613 p.

Gerald, V.M., 1976a, The effect of size on the consumption, absorption and conversion of food in *Ophiocephalus punctatus* (Bloch): Hydrobiologia, v. 49 no. 1, p. 77-85.*

——— 1976b, The effect of temperature on the consumption, absorption and conversion of food in *Ophiocephalus punctatus* (Bloch): Hydrobiologia, v. 49, no. 1, p. 87-93.*

Giltay, L., 1933, Résultats Scientifiques du Voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Léopold de Belgique: Mémoires du Musée Royal D'Histoire Naturelle de Belgique, v. 5, no. 3, 129 p.

Golubtsov, A.S., Darkov, A.A., Dgebuadze, YuYu, and Mina, M.V., 1995, An artificial key to fish species of the Gambela region (the White Nile basin in the limits of Ethiopia): Joint Ethio-Russian Biological Expedition: Jerbe, Addis Ababa, 84 p.

Gosse, J.P., 1963, Le milieu aquatique et l'écologie des poissons dans la region de Yangambi: Annales du Museé Royal de l'Afrique Centrale, Sciences Zoologiques, v. 116, p. 113-249.

Graham, J.B., 1997, Air-breathing fishes: Evolution, diversity, and adaptation: San Diego, California, Academic Press, 299 p.

Gronow, L.T., 1763, Zoophylacii Gronoviani fasciculus primus exhibens animalia quadrupeda, amphibia atque pisces, quae in museo suo adservat, rite examinavit, systematice disposuit, descripsit atque iconibus illustravit Laur: Theod. Gronovius, J.U.D., Lugduni Batavorim, 136 p.*

Guerrero, R.D., III, 2000, Freshwater aquaculture in the Philippines: World Aquaculture, v. 31, no. 4, p. 30-33.*

Guseva, L.N., 1990, Food and feeding rations of the Amur snakehead, *Channa argus warpachowskii*, in water bodies in the lower reaches of the Amu Darya: Journal of Ichthyology, v. 30, no. 3, p. 11-21.

Guseva, L.N., and Zholdasova, I.M., 1986, Morphoecological characteristics of the snakehead *(Ophiocephalus argus warpachowskii)* (Berg) as an introduced species in water bodies in the lower delta of the Amy Darya, *in* Biological Resources of the Aral Region, FAN, Tashkent, p. 98-134.

Hamilton, F., 1822, An account of the fishes found in the River Ganges and its tributaries: Edinburgh, Archibald Constable and Company, 405 p.

Hartel, K.E., Halliwell, D.B., and Launer, A.E., 2002, Inland fishes of Massachusetts: Lincoln, Mass., Massachusetts Audubon Society, 328 p.

Hay, Man Shek, and Hodgkiss, I.J., 1981, Hong Kong freshwater fishes: Hong Kong, The Urban Council, Wishing Printing Company, 75 p.

Herre, A.W.C.T., 1924, Distribution of the true fresh-water fishes in the Philippines, Vol. II *of* The Philippine Labyrinthici, Clariidae, and Siluridae: Philippine Journal of Science, v. 24, no. 6, p. 683-709, pls. 1-2.

——— 1934, The fishes of the Herre Philippine Expedition of 1931: Notes on Stanford, California, Fishes in the Zoological Museum of Stanford University, 106 p.

Herre, A.W.C.T., and Myers, G.S., 1937, A contribution to the ichthyology of the Malay Peninsula: Bulletin of the Raffles Museum, v. 13, p. 5-75.

Herzenstein, S., and Warpachowski, N., 1887, Notizen über die fischfauna des Amur-Bekens und der angrenzenden gebiete: Transactions of the St. Petersburg Philosophical Society, Zoological Division, v. 18, p. 1-58.

Hoffman, G.L., and Schubert, G., 1984, Some parasites of exotic fishes: *in* Courtenay, W.R., Jr., and Stauffer, J.R., Jr., eds., Distribution, Biology, and Management of Exotic Fishes: Baltimore, Maryland, Johns Hopkins University Press, p. 233-261.

Hofstede, A.E., Ardiwinata, R.O., and Botke, F., eds., 1953, Fish-culture in Indonesia: Indo-Pacific Fisheries Council Special Publication 2, 129 p.

Holcík, J., 1991, Fish introductions in Europe with particular reference to its central and eastern part: Canadian Journal of Fisheries and Aquatic Sciences, v. 48 no. 1, p. 13-23.

Hosoya, K., 2002, Channidae; snakeheads, *in* Nakabo, Tetsuji, ed., Fishes of Japan with Pictorial Keys to the Species, English Edition, II, Tokyo, Japan, Tokai University Press, p. 1353.

Howell, G.C.L., 1913, Recent observation on the murral *(Ophiocephalus striatus)*: Journal of the Bombay Natural History Society, v. 22, p. 405-510.

Howells, R.G., Williams, J.D., and Courtenay, W.R., Jr., 2002, Snakeheads represent an increasing threat to U.S. waters: ANS Digest, v. 4, no. 4, p. 37 and p. 40-41.

Inger, R.F., and Kong, C.P., 1962, The fresh-water fishes of North Borneo: Fieldiana: Zoology, v. 45, p. 1-268.

Innes, W.T., 1920, *Channa fasciata*: Aquatic life and the aquatic world, v. 5, no. 9, p. 99-100.

_____ 1955, Exotic aquarium fishes: A work of general reference (18 ed.) Philadelphia, Innes Publishing Company, 541 p.

Irvine, F.R., 1947, The fishes and fisheries of the Gold Coast: London, The Crown Agents, 352 p.

Ismail, M.Z., 1989, Systematics, zoogeography, and conservation of the freshwater fishes of Peninsular Malaysia: Colorado State University, Ph.D. dissertation, 473 p.

Jackson, P.B.N., 1988, Aquaculture in Africa, *in* Lévêque, C., Bruton, M.N., and Ssentongo, G.W., eds., Biology and Ecology of African Freshwater fishes: Paris., France, Collection Travaux et Documents 216, Institut Français de Recherche Scientifique pour le Développement en Coopération, p. 459-475

Jain, S.K., and Garg, S.K., 1984, Thermal tolerance limits of the Indian murrel *Channa punctatus*: Indian Journal of Ecology, v. 11, no. 2, p. 309-312.

Jayaram, K.C., 1999, The freshwater fishes of the Indian region: Narendra Publishing House, Dehli, India, 551 p.

Jhingran, A.G., 1984, The fish genetic resources of India: Bureau of Fish Genetic Resources, Allahabad and Maya Press Pvt. Ltd., Allahabad, 82 p.

Jinhui, Kuang Puren Qian, 1991, Economic fauna of China: Editorial Committee, Fauna Sinica, Adacemia Sinica: Beijing, China, Science Press, 203 p.

Jocano, F.L., 1975, Philippine prehistory: An anthropological overview of the beginnings of the Filipino society and culture: Diliman, Quezon City, Philippines, Philippine Center for Advanced Studies, University of the Philippines System, 280 p.

Johal, M.S., Hanel, L., and Oliva, O., 1983, Note on the growth of *Ophicephalus marulius* (Pisces: Ophicephaliformes): Vstník eskoslovenské Spolenosti Zoologické, v. 47, p. 81-86.

Jordan, D.S., and Evermann, B.W., 1903, The aquatic resources of the Hawaiian Islands: Bulletin of the United States Fish Commission, v. 23, no. 1, p. 479-533.

Jordan, D.S., and Seale, A., 1907, List of the fishes collected in the river at Buytenzorg, Java, *in* Campbell, D.H., ed., Proceedings of the U.S. National Museum, v. 33, no. 1575, p. 535-543.

Joshi, B.N., and Sathyanesan, A.G., 1981, Occurrence of oocytes in the testis of the freshwater teleost *Channa punctatus* (Bloch): Mikroskopie, v. 38, p. 262-264.

Kahn, M.H., 1924, Observations on the breeding habits of some fresh water fishes in the Punjab: Journal of the Bombay Natural History Society, v. 29, no. 4, p. 958-962.

Kanchanakhan, S., Saduakdee, U., and Areerat, S., 1999, Virus isolation from epizootic ulcerative syndrome-diseased fishes: Asian Fisheries Science, v. 12, no. 4, p. 327-335.

Kehar, A.A., Jafri, S.I.H., and Ahmed, S.S., 1995, Laboratory evaluation and rating of some freshwater fishes of Pakistan for the biological control of mosquitoes *Culex quinquefasciatus*: Pakistan Journal of Zoology, v. 27, no. 2, p. 157-159.*

Khin, U., 1948, Fisheries in Burma: Rangoon, Burma, Government Printing and Stationery, 180 p.

Khora, S.S., and Rao, K.V.R., 1994, A preliminary account on the fish fauna of the estuaries of Ganjam District, Orissa: Records of the Zoological Survey of India, v. 94, no. 1, p. 99-111.

Kilambi, R.V., 1986, Age, growth and reproductive strategy of the snakehead, *Ophicephalus striatus* (Bloch), from Sri Lanka: Journal of Fish Biology, v. 29, p. 13-22.

Kimura, S., 1934, Description of the fishes collected from the Yangtze-kiang, China, by the late Dr. K. Kishinouye and his party in 1927-1929: Journal of the Shanghai Science Institute, v. 3, no. 1, p. 11-247.

Klee, A.J., 1963, Under the cover glass: Aquarium Journal, v. 34, no. 9, p. 406-409.

_____ 1987, A history of the aquarium hobby in America: American Cichlid Association Special Publication 1, 158 p.

Kottelat, M., 1985, Fresh-water fishes of Kampuchea: Hydrobiologia, v. 121, p. 249-279.

——— 1994, The fishes of the Mahakam River, East Borneo: An example of the limitations of zoogeographic analyses and the need for extensive fish surveys in Indonesia: Tropical Biodiversity, v. 2, no. 3, p. 401-426.

——— 1998, Fishes of the Nam Theun and Xe Bangfai basins, Laos, with diagnoses of twenty-two new species (Teleostei: Cyprinidae, Balitoridae, Cobitidae, Coiidae and Odontobutidae): Ichthyological Explorations of Freshwaters, v. 9, no. 1, p. 1-128.

——— 2001a, Fishes of Laos: Colombo, Sri Lanka, WHT Publications, 198 p.

——— 2001b, Freshwater fishes of Northern Vietnam: A preliminary check-list of the fishes known or expected to occur in Northern Vietnam, with comments on systematics and nomenclatur: The World Bank, 123 p.
Kottelat, M., Kartikasari, S.R., Whitten, A.J., Kartikasari, S.N., and Wirjoatmodjo, S., 1993, Freshwater fishes of western Indonesia and Sulawesi: Indonesia, Periplus Editions (HK) Ltd., 221 p., plus 84 plates.
Kottelat, M., Ng Heok Hee, and Ng, P.K.L., 1998, Notes on the identity of *Hemibagrus elongatus* (Günther, 1864) and other east Asian species allied to *H. guttatus* (Lacepède, 1803) (Teleostei: Bagridae): Raffles Bulletin of Zoology, v. 46, p. 565-572.
Kullander, S.O., Britz, R., and Fang Fang, 2000, *Pillaia kachinia*, a new chaudhuriid fish from Myanmar, with observations on the genus *Garo* (Teloeostei: Chaudhuriidae): Ichthyological Exploration of Freshwaters, v. 11, no. 4, p. 327-334.
Kullander, S.O., Fang Fang, Delling, B., and Åhlander, E., 1999, The fishes of the Kashmir Valley, *in* Nyman, L., ed., River Jhelum, Kashmir Valley, Impacts on the aquatic environment: Göteborg, Sweden, Swedmar, p. 99-167.
Kumar, C.R.A., and Mittal, D.D., 1993, Habitat preference of fishes in wetlands in relation to aquatic vegetation and water chemistry: Journal of the Bombay Natural History Society, v. 90, no. 2, p. 181-192.
Lee, P.G., and Ng, P.K.L., 1991, The snakehead fishes of the Indo-Malayan Region: Nature Malaysiana, v. 16, no. 4, p. 113-129.
——— 1994, The systematics and ecology of snakeheads (Pisces: Channidae) in Peninsular Malaysia and Singapore: Hydrobiologia, v. 285, p. 59-74.
Lee, S.W., and Lee, Y.J., 1986, Karyotypes analysis of Korean spotted serpent head (Cantor); (Channiformes, Channidae): Korean Journal of Zoology, v. 29, no. 2, p. 75-78.*
Lévêque, C., 1998, Fish species introductions in African fresh waters, *in* Cowx, I.G., ed., Stocking and introduction of fish: Oxford, England, Fishing News Books, p. 234-257.
Lever, C., 1996, Naturalized fishes of the world: Academic Press, 408 p.
Liang Yun-sheng, Po-wei Yuan, and Hung-chiaYang, 1962, Common food fishes of Taiwan: Chinese-American Joint Commission on Rural Reconstruction, Taipei, Taiwan, China, 90 p.
Liem, K.F., 1987, Functional design of the air ventilation apparatus and overland excursions ty teleosts: Fieldiana, Zoology, v. 37, p. 1-29.
Lim, K.K.P., and Ng, P.K.L., 1990, The freshwater fishes of Singapore: Singapore Science Centre, 160 p.
Lim, K.K.P., Ng, P.K.L., and Kottelat, M., 1990, On a collection of freshwater fishes from Endau-Rompin, Pahang-Johore, Peninsular Malaysia: Raffles Bulletin of Zoology, v. 38, no. 1, p. 31-54.
Ling Shao-Wen, 1977, Aquaculture in southeast Asia: A historical overview: University of Washington Press, 108 p.
Lio-Po, G.D., Traxler, G.S., Albright, L.J., and Leano, E.M., 2000, Characterization of a virus obtained from snakeheads *Ophicephalus striatus* with epizootic ulcerative syndrome (EUS) in the Philippines: Diseases of Aquatic Organisms, v. 43, no. 3, p. 191-198.*
Liu, J., Cui, Y., and Liu, J., 1998, Food consumption and growth of two piscivorous fishes, the mandarin fish and the Chinese snakehead: Journal of Fish Biology, v. 53, p. 1071-1083.
Lowe-McConnell, R.H., 1987, Ecological studies in tropical fish communities: England, Cambridge University Press, 382 p.
——— 1988, Broad characteristics of the ichthyofauna, *in* Lévêque, C., Bruton, M.N., and. Ssentongo, G.W., eds., Biology and ecology of African freshwater fishes: Collection Travaux et Documents 216, Paris, France, Institut Français de Recherche Scientifique pour le Développement en Coopération, p. 93-105.
Lydekker, R., 1886, Indian Tertiary & post-Tertiary vertebrata: Tertiary fishes, Paleontologica Indica, series 10, v. 3, p. 241-264.
Maciolek, J.A., 1984, Exotic fishes in Hawaii and other islands of Oceania, *in* Courtenay,W.R., Jr., and Stauffer, J.R., Jr., eds., Distribution, biology, and management of exotic fishes: Baltimore, Maryland, Johns Hopkins Press, p. 131-161.

Mahan, A., Suparno, T., and Carlander, K.D., 1978, Food habits of walking-catfish *(Clarias batrachus)* and snakehead *(Ophiocephalus striatus)* in Rawa Pening: Journal of Satya Wacana Research, v. 1, no. 4, p. 374-380.

Mansuri, A., Bhatt, V., and Bhatt, N., 1979, Studies on effects of salinity changes on fresh water murrel, *Channa punctatus* (Bloch), Vol. I *of* Salinity tolerance, tissue water and mineral levels: Journal of the Indian Fisheries Society, v. 11, no. 1, p. 74-82.

Martin-Smith, K.M., and Hui, T.H., 1998, Diversity of freshwater fishes from eastern Sabah: Annotated checklist for Danum Valley and a consideration of inter- and intra-catchment variability: Raffles Bulletin of Zoology, v. 46, no. 2, p. 573-604.*

Masuda, H., Amaoka, K., Araga, C., Uyeno, T., and Yoshino, T., eds., 1984, The fishes of the Japanese Archipelago: Tokyo, Japan, Tokai University Press, 437 p., and 370 plates.

Mendis, A.S., 1954, Fishes of Ceylon, (A catalogue, key & bibliography): Bulletin of the Fisheries Research Station, Department of Fisheries of Ceylon, v. 2, 222 p.

Mendis, A.S., and Fernando, C.H., 1962, A guide to the freshwater fauna of Ceylon: Bulletin of the Fisheries Research Station, Department of Fisheries of Ceylon, v. 12, p. 1-160.

Menon, A.G.K., 1949, Fishes of the Kumaon Himalayas: Journal of the Bombay Natural History Society, v. 48, no. 3, p. 535-542.

Micha, J.C., 1974, Fish populations study of Ubangui River: Trying local wild species for fish culture: Aquaculture, v. 4, p. 85-87.

Miles, D.J.C., Polchana, J., Lilley, J.H., Kanchanakhan, S., Thompson, K.D., Adams, A., Polchana, Jaree, and Kanchanakhan, Somkiat, 2001, Immunostimulation of striped snakehead *Channa striata* against epizootic ulcerative syndrome: Aquaculture, v. 195, nos. 1 and 2, p. 1-15.*

Milstein, A., and Prein, M., 1993, Factor and canonical correlation analysis of Nile tilapia production in integrated livestory-fish culture in the Philippines, *in* Prein, M., Hulata,V., and Pauly, D., eds., Multivariate methods in aquaculture research—Case studies of tilapias in experimental and commercial systems: ICLARM Studies and Reviews 20, p. 67-64.*

Mirza, M.R., 1975, Freshwater fishes and zoogeography of Pakistan: Bijdragen tot de dierkunde, v. 45, no. 2, p. 142-180.

——— 1995, Distribution of freshwater fishes in Pakistan and Kashmir: Proceedings of the Seminar on Aquatic Development of Pakistan, 1993: p. 1-15.

——— 1999, Biodiversity of fishes in the River Indus and its tributaries between Kalabagh and Tarbela, *in* Mufti, S.A., Woods, C.A., and Hasan, S.A., eds., Biodiversity of Pakistan: Islamabad, Pakistan Museum of Natural History, p. 325-333.

Mirza, M.R., and Bhatti, M.N., 1993, Pakistan ki Mashlian orr Mahi purveri [Fishes of Pakistan and Aquaculture]: Lahore, Pakistan, Feroz Sons (Pvt.) Ltd., 184 p. [In Urdu.]

Mishra, S.K., 1991, Reproductive biology of a freshwater teleost, *Channa gachua* (Ham): Proceedings of the National Symposium on New Horizons in Freshwater Aquaculture, 1991: p. 55-56.

Mittal, A.K., and Banerji, T.K., 1975, Histochemistry and the structure of the skin of a murrel, *Channa striata* (Bloch) 1797, Vol. I *of* Epidermis; Vol. II *of* Dermis and subcutical: Canadian Journal of Zoology, v. 53, no. 6, p. 833-852.

Mohan, C.V., Shankar, K.M., and Ramesh, K.S., 1999, Is epizootic ulcerative syndrome (EUS) specific fungus of fishes a primary pathogen? An opinion: Naga, v. 22, no. 1, p. 15-18.*

Mohsin, A.K.M., and Ambak, M.A., 1983, Freshwater fishes of Peninsular Malaysia: Pertanian, Malaysia, Penerbit Universiti, 284 p.

Mookerjee, H.K., Ganguly, D.N., and Bhattacharya, R.N., 1948, On the bionomics, breeding habits and development of *Ophicephalus striatus* (Bloch): Proceedings of the Zoological Society of Bengal, v. 1, no. 1, p. 58-64.

Mori, T., 1952, Check list of the fishes of Korea: Memoirs of the Hyogo University of Agriculture, v. 1, no. 3, p. 1-228.

Morita, C.M., 1981, Freshwater fishing in Hawaii: Honolulu, Division of Aquatic Resources, Department of Land and Natural Resources, 22 p.

Morrice, C., 1991, Aquaculture in Ghana—Hope for the future: Aquaculture News, no. 12, 2 p.

Moyle, P.B., and Senanayake, F.R., 1984, Resource partitioning among the fishes of rainforest streams in Sri Lanka: London, Journal of Zoology, v. 202, p. 195-223.

Mukerji, D.D., 1931, On a small collection of fish from the streams in the Billigirirangan Hills (Southern India): Journal of the Bombay Natural History Society, v. 35, no. 2, p. 359-361.

——— 1933, Report on Burmese fishes collected by Lt. Col. R.W. Burton from the tributary streams of the Mali Hka River of the Myitkyina District (Upper Burma): Journal of the Bombay Natural History Society, v. 36, p. 812-831.

Mukherjee, M., 1998, Measures adopted to encounter EUS among cultured fish in west Bengal: Visakhapatnam, India, Fishing Chimes, v. 17, no. 12, p. 23-26.

Munro, I.S.R., 1955, The marine and fresh water fishes of Ceylon: Published for Department of External Affairs, Canberra; Halston Press, Sydney, Australia, 351 p.

Munshi, D.J.S., and Hughes, G.M., 1992, Air-breathing fishes of India: New Dehli, India, Oxford and IBH, 338 p.

Murugesan, V.K., 1978, The growth potential of the murrels, *Channa marulius* (Hamilton) and *Channa striatus* (Bloch): Journal of the Inland Fisheries Society of India, v. 10, p. 169-170.

Musikasinthorn, P., 1998, *Channa panaw*, a new channid fish from the Irrawaddy and Sittang River basins, Myanmar: Ichthyological Research, v. 45, no. 4, p. 355-362, figs. 1-7.

——— 2000, *Channa aurantimaculata*, a new channid fish from Assam (Brahmaputra River basin), India, with designation of a neotype for *C. amphibeus* (McClelland, 1845): Ichthyological Research, v. 47, no. 1, p. 27-37, figs. 1-5.

Musikasinthorn, P., and Taki, Y., 2001, *Channa siamensis* (Günther, 1861), a junior synonym of *Channa lucius* (Cuvier, *in* Cuvier and Valenciennes, 1831): Ichthyological Research, v. 48, p. 319-324.

Myers, G., and Shapovalov, L., 1932, On the identity of *Ophicephalus* and *Channa*, two genera of labyrinth fishes: Peking Natural History Bulletin 6, p. 33-37.

Nakamura, M., 1963, Keys to the freshwater fishes of Japan fully illustrated in colors: Hokuryukan, 258 p.

Nelson, J.S., 1994, Fishes of the world: New York, John Wiley, 600 p.

Ng, H.H., Ng, P.K.L., and Britz, R., 1999, *Channa harcourtbutleri* (Annandale, 1918): A valid species of snakehead (Perciformes: Channidae) from Myanmar: Journal of South Asian Natural History, v. 4, no. 1, p. 57-63.

Ng, H.H., Tan, S.H., and Ng, P.K.L., 1996, Revalidation of *Channa baramensis* (Steindachner, 1901), a species of snakehead from northern Borneo: Sarawak Museum Journal, v. 48, p. 219-226.

Ng, P.K.L., and Lim, K.K.P., 1990, Snakeheads (Pisces: Channidae): Natural, history, biology and economic importance: Essays in Zoology, Papers Commemorating the 40th Anniversary of the Department of Zoology, National University of Singapore, p. 127-152.

——— 1991, The identity of *Ophicephalus cyanospilos* Bleeker from Sumatra, and a new record of *Channa bankanensis* (Bleeker) from Peninsular Malaysia (Pisces: Channidae): The Raffles Bulletin of Zoology, v. 39, no. 1, p. 119-130.

Ng, P.K.L., Tay, J.B., Lim, K.K.P., and Yang, C.M., 1992, The conservation of the fish and other aquatic fauna of the North Selangor Peat Swamp Forest and adjacent areas: Kuala Lumpur, Malaysia, Asian Wetland Bureau, Publication 81, p. 1-90.

Nichols, J.T., 1943, The fresh-water fishes of China, Vol. IX *of* Natural history of central Asia: New York, American Museum of Natural History, 322 p.

Nikol'skiy, G.V., 1956, Ryby basseyna Amura [Fishes of the Amur Basin]: Moscow, USSR Academy of Sciences. [In Russian.]*

Okada, Y., 1960, Studies of the freshwater fishes of Japan, II, Special part: Prefectural University of Mie, Journal of the Faculty of Fisheries, v. 4, no. 3, p. 1-860, 61 plates.

Paepke, H-J., 1993, [Critical catalogue of the types of the fish collection of the Zoological Museum Berlin], Vol. 5 *of* Channoidei: Berlin, Mitteilungen aus dem Zoologischen Museum, v. 69, no. 2, p. 255-259. [In German.]

Panday, J.P., and Dwivedi, A.S., 1974, Studies of morphology and physiology of olfactory organs in a murrel *Channa punctatus* (Bloch): Indian Journal of Zootomy, v. 14, no. 1, p. 59-66.*

Pandey, B.N., and Chanchal, A.K., 1977, Minimum level of oxygen in water for fish survival without air breathing: Bangladore, India, Current Science, v. 46, no. 18, p. 653-654.

Pandian, T.J., 1982, Contributions to the bioenergetics of a tropical fish, *in* Cailliet, G.M., and Simenstad, C.A., eds., Gutshop '81—Proceedings of the Third Pacific Workshop, Fish Food Habits Studies: Seattle, Washington Sea Grant Program, p. 124-131.

Pantulu, V.R., 1976, Floating cage culture of fish in the lower Mekong basin: FAO Technical Conference on Aquaculture, Kyoto, Japan, May 26–June 2, 1979, 8 p.

Parameswaran, S., and D. Goorah, D., 1981, Occurrence of the striped murrel, *Channa striatus* (Bloch), 1793, in Mauritius: Revue Agricole et Sucriere de l'Ile Maurice, v. 60, p. 117-124.

Parameswaran, S., and Murugesan, V.K., 1976a, Breeding season and seed resources of murrels in swamps of Karnataka State: Journal of the Inland Fisheries Society of India, v. 8, p. 60-67.

——— 1976b, Observations on the hyopophysation of murrels (Ophiocephalidae): Hydrobiologia, v. 50, no. 1, p. 289-316.

Paumgarten, N., 2002, One fast fish: The New Yorker, August 5, 2002, p. 22-23.

Pearl River Fisheries Research Institute, Chinese Academy of Fisheries Science, 1991, [The Freshwater fishes of Guangdong Province]: Guangdong Science and Technology Press, 589 p. [In Chinese.]

Peters, W., 1868, Über die von Hrn. Dr. F. Jagor in dem ostindischen arcipel gesammelten und dem Königl: Fish delivered to zoological museums: Berlin, Germany, Monthly report of the Scientific Academy, p. 254-281.

Pethiyagoda, R., 1991, Freshwater fishes of Sri Lanka: Colombo, Wildlife Heritage Trust of Sri Lanka, 362 p.

Playfair, R.L., 1867, On the fishes of Cachar: Proceedings of the Zoological Society of London, no. 1, p. 14-17.

Poll, M., 1957, Les Genres des Poissons d'Eau Douce de L'Afrique: Direction de l'Agriculture des Forets et de l'Elevage, Bruxelles, Belgium, 191 p.

Popova, O.A., 2002, *Channa argus* (Cantor, 1842), *in* Reshetnikov, Yu. S., ed., Vol. 2 *of* Atlas of Russian Freshwater Fishes: Nauka, Moscow, Russia, p. 141-144.

Prasad, M.M., Rao, C.C.P., and Surendran, P.K., 1998, Motile aeromonids associated with epizootic ulcerative syndrome affected *Channa striata*, *in* Balachandran, K.K., and others, eds., Symposium on Advances and Priorities in Fisheries Technology, Cochin, February 11-13, 1998: Cochin, India, Society of Fisheries Technologists, p. 394-397.*

Qin, J., and Fast, A.W., 1996a, Effects of feed application rages on growth, survival and feed conversion of juvenile snakehead *(Channa striatus)*: Journal of the World Aquaculture Society, v. 27, no. 1, p. 52-56.

——— 1996b, Size and feed dependent cannibalism with juvenile snakehead *(Channa striatus)*: Aquaculture, v. 144, p. 313-320.

——— 1996c, Food selection and growth of young snakehead *Channa striatus*: Journal of Applied Ichthyology, v. 13, p. 21-25.

——— 1998, Effects of temperature, size and density on culture performance of snakehead, *Channa striatus*, fed formulated feed: Aquaculture Research, v. 29, p. 299-303.

Qin, J., Fast, A.W., DeAnda, Daniel, and Weidenbach, R.P., 1997, Growth and survival of larval snakehead *(Channa struatus)* fed different diets: Aquaculture, v. 148, p. 105-113.

Qin, J., Fast, A.W., and Kai, A.T., 1997, Tolerance of snakehead *Channa striatus* to ammonia at different pH: Journal of the World Aquaculture Society, v. 28, no. 1, p. 87-90.

Qin, J., Xi He, and Fast, A.W., 1997, A bioenergetics model for juvenile snakehead *(Channa striatus)*: Environmental Biology of Fishes, v. 50, p. 308-318.
Quayyum, A., and Qasim, S.Z., 1962, Behavior of the Indian murrel, *Ophicephalus punctatus*, during brood care: Copeia 1956, no. 2, p. 465-467.
Qureshi, M.R., 1965, Common freshwater fishes of Pakistan: Karachi, Government of Pakistan Press, 61 p.
Qureshi, T.A., Mastan, S.A., Prasad, Y., Chauhan, R., Dubey, R.K., and Chopade, R., 1999, Bacteriological investigation on EUS affected *Channa striatus*: Journal of Ecobiology, v. 11, no. 1, p. 71-79.*
Rainboth, W.J., 1996, Fishes of the Cambodian Mekong—FAO Species Identification Field Guide for Fishery Purposes: Rome, Italy, Food and Agriculture Organization of the United Nations (FAO), 265 p.
Raj, B.S., 1916, Notes on the freshwater fish of Madras: Records of the Indian Museum, v. 12, p. 249-294.
Raminosoa, N.R., 1987, Ecologie et biologie d'un poisson teleosteen: *Ophiocephalus striatus* (Bloch, 1793), introduit a Madagascar: Thesis, University of Madagascar, 225 p.*
Rao, L.M., Ramaneswari, K., and Rao, L.V., 1998, Food and feeding habits of *Channa* species from East Godavari District (Andhra Pradesh): Indian Journal of Fisheries, v. 45, no. 3, p. 349-353.
Rao, P.S., and Durve, V.S., 1989, Fish and fisheries of Lake Jaisamand, Rajasthan: Indian Journal of Fisheries, v. 36, no. 1, p. 47-52.
Reddy, P.B., 1979a, Maturity and spawning in the murrel, *Channa punctata* (Block, 1973) (Pisces, Teleostei, Channidae) from Guntur, Andhra Pradesh: Proceedings of the Indian National Science Academy B, v. 45, no. 6, p. 543-553.
——— 1979b, Ventral fin length as a sexually dimorphic character in the murrel, *Channa punctata* (Bloch, 1793): Bangladore, India, Current Science, v. 48, no. 10, p. 442.
——— 1980, Food and feeding habits of *Channa punctata* (Bloch) from Guntur: Indian Journal of Fisheries, v. 27, no. 5, p. 123-129.
Reddy, Y.S., and Rao, M.B., 1990, Food and feeding habits of *Channa punctatus* (Bloch) from Hussainsagar Lake, Hyderabad: Proceedings of the 2nd Indian Fisheries Forum, May 27-31, 1990, Bangalore, India, p. 109-111.
Reichenbacher, V.B., and Weidmann, M., 1992, Fisch-otolithen aus der oligo-miozaenen molasses der west-Schweiz und der Haute-savoie (Frankreich): Stuttgarter Beiträge zur Naturkunde, v. 184, p. 1-83.*
Reinthal, P.N., and Stiassny, M.L.J., 1991, The freshwater fishes of Madagascar: A study of an endangered fauna with recommendations for a conservation strategy: Conservation Biology, v. 5, no. 2, p. 231-243.
Richter, J., 1982, *Parophiocephalus unimaculatus*—Un combatant géant très intéressant: Aquarama: v. 68, no. 6, p. 22-25.*
Rishi, K.K., Haobam, and M.S., 1984, Karyotypes of three forms of fishes having high chromosome number: Modinagar, India, International Journal of the Academy of Ichthyology, v. 5, no. 1/2, p. 139-144.*
Roberts, T.R., 1989, The freshwater fishes of western Borneo (Kalimantan Barat, Indonesia): Memoirs of the California Academy of Sciences 14, 210 p.
——— 1993, The freshwater fishes of Java, as observed by Kuhl and van Hasselt in 1820-23: Zoologische Verhandelingen Leiden, v. 285, p. 1-94.
Robins, C.R., Bailey, R.M., Bond, C.E., Brooker, J.R., Lachner, E.A., Lea, R.N., and Scott, W.B., 1991, Common and scientific names of fishes from the United States and Canada: Bethesda, Maryland, American Fisheries Society, Special Publication 20, 183 p.
Ruihua, D., 1994, The fishes of Sichuan, China: Chengdu, Sichuan, China, Sichuan Publishing House of Science and Technology, 641 p.
Sahni, A., and Khare, S.K., 1977, A middle Siwalik fish fauna from Ladhyani (Haritalyangar), Himachal Pradesh: Biological Memoirs, Vertebrate Paleontology Series, v. 1, no. 2(1-2), p. 187-214.

Sal'nikov, V.B., 1998, Anthropogenic migration of fish in Turkmenistan: Journal of Ichthyology, v. 38, no. 8, p. 591-602.

Sauvage, M.H.E., 1884, Poissons de Franceville, Haut Ogooué: Bulletin Society Zoology: France p. 193-198.

Schmidt, J., 2001, Asian snakeheads, genus *Channa*: Tropical Fish Hobbyist, v. 6, p. 62-73.

Seale, A., 1908, The fishery resources of the Philippine Islands, Part I, Commercial fishes: Philippine Journal of Science, v. 3, no. 6, p. 513-531.

Sen, N., and Dey, S.C., 1984, Fish geography of Meghalaya: Records of the Zoological Society of India, v. 81, no. 3/4, p. 299-314.

Sen, T.K., 1985, The fish fauna of Assam and the neighboring north-eastern states of India: Records of the Zoological Survey of India, Miscellaneous Publication, Occasional Paper No. 64, 216 p.

Setasuban, P., 1990, Current status of gnathostomiasis in Thailand, *in* Parasitic Zoonoses in Asian-Pacific Regions: Sendai, Japan, Organizing Committee, Asian-Pacific Congress for Parasitic Zoonoses, p. 80.

Setasuban, P., Nuamtanong, S., Rojanakittikoon, V., Yaemput, S., Dekumyoy, P., Akahane, H., and Kojima, S., 1991, Gnathostomiasis in Thailand: A survey on intermediate hosts of *Gnathostoma* spp. with special reference to a new type of larvae found in *Fluta alba*, *in* Cross, J.H., ed., Emerging problems in food-borne parasitic zoonosis—Impact on Agriculture and Public Health—Proceedings of the 33rd SEAMEO-TROPMED Regional Seminar, Chiang Mai, Thailand, 14-17 November 1990: Supplement to Southeast Asian Journal of Tropical Medicine and Public Health, p. 220-224.

Shaw, G.E., and Shebbeare, E.O., 1938, The fishes of northern Bengal: Journal of the Royal Asiatic Society of Bengal, v. 3, p. 1-138.

Shen, Shih-chieh, and Tzeng, C.Z., 1993, Channidae, *in* Shen, Shih-chieh, ed., Fishes of Taiwan: Taipei, Taiwan, Department of Zoology, National Taiwan University, p. 563.

Shrestha, K.T., 1990, Resource ecology of the Himalayan waters: A study of ecology, biology and management strategy of fresh waters: Nepal, Curriculum Development Centre, Tribhuvan University, 645 p.

Sifa, Li, and Senlin, Xu, 1995, Culture and capture of fish in Chinese reservoirs: Ottawa, Canada, International Development Research Centre, 128 p.

Singh, B.R., Prasad, S., and Mishra, A.P., 1986, Oxygen uptake through water during early life in *Channa striatus* (Bloch): Polskie Archiwum Hydrobiologii, v. 33, no. 1, p. 97-104.

Skelton, P.H., 1988, The distribution of African freshwater fishes, *in* Lévêque, C., Bruton, M.N., and. Ssentongo, G.W., eds., Biology and ecology of African freshwater fishes: Paris, France, Institut Français de Recherche Scientifique Pour Le Développement en Coopération, Collection Travaux et Documents 216, p. 65-83.

Smith, H.M., 1907, Our fish immigrants: National Geographic Magazine, June, p. 383-400.

——— 1945, The fresh-water fishes of Siam, or Thailand: Smithsonian Institute, United States National Museum Bulletin 188, 622 p.

Smith, J.L.B., 1950, Two noteworthy non-marine fishes from South Africa: Annals and Magazine of Natural History, v. 12, no. 3, p. 705-710.*

Soin, S.G., 1960, [Reproduction and development of the snakehead *Ophiocephalus argus warpachowskii* (Berg): Issues in Ichthyology 15]: USSR Academy of Science, p. 127-137. [In Russian.]

Sriramlu, R., 1979, Observations on the breeding periodicities of the murrel *Channa striatus* and *Channa marrullus* [sic]: Comparative Physiology and Ecology, v. 4, no. 2, p. 61.

Srivastava, S., 1980, Seasonal histological changes in the ovary of a freshwater large murrel, *Channa marulius* (Ham): Zoologische Jahrbuecher fuer Anatomie, v. 104, p. 492-499.

Sterling, E.J., Hurley, M.M., and Bain, R.H., 2003, Vietnam's secret life: Natural History Magazine, v. 112, no. 2, p. 50-59.

Stiassny, M.L.J., and Raminosoa, N., 1994, The fishes of the inland waters of Madagascar, *in* Teugels, G.G., Guégan, J.F., and Albaret, J.J., eds., Biological diversity in African fresh- and brackish water fishes—Geographical overviews: Annales du Museé Royal de l'Afrrique Centrale, Zoologie, v. 275, p. 133-148.

Stoye, F.H., 1935, Tropical fishes for the home: Their care and propagation: New York, Carl Mertens, 284 p.

Swift, C.C., Haglund, T.R., Ruiz, M., and Fisher, R.N., 1993, The status and distribution of the freshwater fishes of southern California: Bulletin of the Southern California Academy of Science, v. 92, p. 101-167.

Talwar, P.K., and Jhingran, A.G., 1992, Inland fishes of India and adjacent countries, Vol. 2: Rotterdam, Balkema Publishers, p. 543-1158.

Tandon, K.K., 1976, Note on the systematics of the ocellated snake-head, Ophiocephalus argus warpachowskii (Osteichthyes, Ophiocephaliformes): Vèstník eskoslovenské Spolenosti Zoologické, v. 40, no. 4, p. 312-315.

Teugels, G.G., Breine, J.J., and Thys van den Audenaerde, D.F.E., 1986, Channidae (=Ophicephalidae), *in* Daget, J., Gosse, D.P., and Thys van den Audenaerde, D.F.E., eds., Vol., 2 *of* Check-list of the freshwater fishes of Africa: Bruxells, CLOFFA. INSB, p. 288-290.

Teugels, G.G., and Daget, J., 1984, *Parachanna* nom. nov. for the African snake-heads and rehabilitation of *Parachanna insignis* (Sauvage, 1884) (Pisces, Channidae): Cybium, v. 8, no. 4, p. 1-7.

Teugels, G.G., Reid, G.M., and King, R.P., 1992, Fishes of the Cross River basin (Cameroon–Nigeria) taxonomy, zoogeography, ecology and conservation: Tervuren, Belgique, Musée Royal de L'Afrique Centrale, Annales Sciences Zoologiques v. 266, 132 p.

Tinker, S.W., 1944, Hawaiian fishes: A handbook of the fishes found among the islands of the central Pacific Ocean: Hawaii, Tongg Publishing Company, 404 p.

Umali, A.F., 1950, Key to the families of common commercial fishes in the Philippines: U.S. Fish and Wildlife Service Research Report 21, 41 p.

Usmanova, R.G., 1982, Variability of characters and some aspects of the biology of young snakehead, *Ophicephalus argus warpachowskii* (Ophicephalidae), in the Kashkadar'ya basin: Journal of Ichthyology, v. 22, no. 6, p. 86-90.

Uyeno, T., and Akai, T., 1984, Family Channidae, snakehead, *in* Masuda, H., Amaoka, K., Araga, C., Uyeno, T., and Yoshino, T., eds., The fishes of the Japanese Archipelago: Tokyo, Japan, Tokai University Press, p. 122.

Van Neer, W., 1989, Holocene fish remains from the Sahara: Sahara, v. 2, p. 61-69.*

Varma, B.R., 1979, Studies on the pH tolerance of certain freshwater teleosts: Comparative Physiological Ecology, v. 4, no. 2, p. 116-117.

Victor, R., and Akpocha, B.O., 1992, The biology of snakehead, *Channa obscura* (Gunther), in a Nigerian pond under monoculture: Aquaculture, v. 101, p. 17-24.

Vierke, J., 1991a, Ein farbenfroher neuer Schlangenkopffisch aus Assam: Das Aquarium, v. 259, p. 20-24.

——— 1991b, Der Regenbogen-Channa: Das Aquarium, v. 266, p. 15-19.

Vivekanandan, E., 1977a, Surfacing activity and food utilization in the obligatory air-breathing fish *Ophiocephalus striatus* as a function of body weight: Hydrobiologia, v. 55, p. 99-112.

——— 1977b, Ontogenetic development of surfacing behaviour in the obligatory air-breathing fish *Channa* (=*Ophiocephalus*) *striatus*: Physiology & Behavior, v. 18, no. 4, p. 559-562.

Weber, M., and de Beaufort, L.F., 1922, The fishes of the Indo-Australian Archipelago, Vol. IV *of* Heteromi, Solenichthyes, Synentognathi, Percesoces, Labyrinthici, and Microcyprini: Leiden, England, E.J. Brill Ltd., 103 illustrations.

Wee, Kok Leong, 1982, Snakeheads—Their biology and culture, *in* Muir, J.F., and Roberts, R.J., eds., Recent advances in aquaculture: Boulder, Colorado, Westview Press, p. 180-213.

Welcomme, R.L., 1981, Register of international transfers of inland fish species: Rome, Italy, FAO, Fisheries Technical Paper 213, 120 p.
——— 1985, River fisheries: Rome, Italy, Food and Agriculture Organization of the United Nations (FAO) Fisheries Technical Paper 262, p. 1-330.
——— 1988, International introductions of inland aquatic species: Rome, Italy, Food and Agriculture Organization of the United Nations (FAO) Fisheries Technical Paper 294, 318 p.
Wu, W., Chen, H., and Zhuang, H.,1986, Studies on the karyotypes in five species of fish: Zhongshan Daxue Xuebao (Acta Scientiarum Naturalium, Univ. Sunyatseni), v. 2, no. 1, p. 107-113.*
Xinluo, Chu, and Chen Yinrui, 1990, The fishes of Yunnan, China, Part II, Cyprinidae: Beijing, China, Science Press, 313 p.
Yamamoto, M.N., and Tagawa, A.W., 2000, Hawaii's native and exotic freshwater animals: Honolulu, Mutual Publishing, 200 p.
Zhang, Chun-Guang, Musikasinthorn, P., and Watanabe, K., 2002, *Channa nox*, a new channid fish lacking a pelvic fin from Guangxi, China: Ichthyological Research, v. 49, p. 140-146.
Zhadin, V.I., and Gerd, S.V., 1963, Fauna and flora of the rivers, lakes and reservoirs of the U.S.S.R: [Translated from Russian, Israel Program for Scientific Translations, Jerusalem], 626 p.